

Goat Feed

~JU

Medicated With Deccox

MTI ME

For the prevention of Coccidiosis in young goats caused by *Eimeria christenseni* and *E. ninakohlyakimovae*.

Active Ingredient

Decoquinatate 40.8 g/t

Net Weight 50 lbs.

Guaranteed Analysis

Crude Protein	17 %	(min)
(This product includes not more than 1% equivalent crude protein from non-protein nitrogen)		
Crude Fat	2.5 %	(min)
Crude Fiber	12 %	(max)

Ingredients: Grain Products, Plant Protein Products, Processed Grain By-Products, Roughage Products, Cane Molasses, Calcium Carbonate, Mono-Dicalcium Phosphate, Salt, Ammonium Chloride, Vitamin A Supplement, Vitamin D 3 Supplement, Vitamin E Supplement, Niacin, Vitamin B 12, Thiamine Mononitrate, Riboflavin, Pantothenis Acid, Choline Chloride, Sodium Selenite, Manganous Oxide, Zinc Oxide, Iron Sulfate, Cobalt Carbonate, Copper Oxide, Copper Sulfate, Calcium Iodide, Sulfur.

WARNING: DO NOT feed any product that is moldy, rodent or insect infested, or abnormal in appearance or odor to animals as it may cause illness or death.

WARNING: DO NOT feed to goats or cows producing milk for food.

FEEDING DIRECTIONS: Feed to young growing goats at the rate of 1.1 lbs./100 lbs of body weight per day to provide a daily dose of 22.7 mg/100 lbs of body weight. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard.

Manufactured By:
Godfrey's Warehouse, Inc.
P.O. Box 488
Madison, GA 30650